



| Number | Name |
|--------|------------------------------------------|
| 1 | base scale label |
| 2 | pan head button screw |
| 3 | cross pan head screw |
| 4 | lock handle |
| 5 | lock bolt(right screw) |
| 6 | foot |
| 7 | base |
| 8 | lock bolt (left screw) |
| 9 | flat washer |
| 10 | wave washer(D) |
| 11 | lock nut |
| 12 | extension rod(long) |
| 13 | cross pan head screw |
| 14 | extension rod(short) |
| 15 | lock nut |
| 16 | spring washer |
| 17 | flat washer |
| 18 | vice worktable,left |
| 19 | socket set screw |
| 20 | baffle for the left extension table |
| 21 | cross pan head screw |
| 22 | vice fence,left |
| 23 | fence knob |
| 24 | lock bolt(right screw) |
| 25 | socket set screw |
| 26 | flat washer |
| 27 | spring washer |
| 28 | socket head cap screw |
| 29 | lock bolt(left screw) |
| 30 | fence |
| 31 | warning label |
| 32 | vice fence,right |
| 33 | vice worktable,right |
| 34 | stop plate for the right extension table |
| 35 | big flat washer |
| 36 | compression spring |
| 37 | locking rod |
| 38 | spring roud pin |
| 39 | locking rod |
| 40 | located block |
| 41 | cross self-tapping screw |
| 42 | located handle spring |
| 43 | cross self-tapping screw |
| 44 | located plate |
| 45 | cross pan head screw |
| 46 | locking handle |
| 47 | adjustable pin |
| 48 | locking block |
| 49 | adjustable screw rod |

| | |
|-----|----------------------------|
| 50 | adjustable spring |
| 51 | support |
| 52 | socket set screw |
| 53 | cross pan head screw |
| 54 | lock handle axis |
| 55 | pressing plate |
| 56 | locking sleeve |
| 57 | front locking handle |
| 58 | locating axis |
| 59 | pressing plate |
| 60 | friction washer |
| 61 | locking ring |
| 62 | socket set screw |
| 63 | socket head cap screw |
| 64 | limited baffle |
| 65 | baffle screw |
| 66 | 8 thin washer8 |
| 67 | wave washer |
| 68 | connecting shaft |
| 69 | angle locating pin |
| 70 | locating spring |
| 71 | flat washer |
| 72 | angle pointer |
| 73 | support arm |
| 74 | locking friction washer |
| 75 | flat washer |
| 76 | locking nut |
| 77 | rear cover |
| 78 | knob |
| 79 | cushion pad |
| 80 | nut button |
| 81 | locking button |
| 82 | locking spring |
| 83 | clamping plate |
| 84 | big flat washer |
| 85 | spring washer |
| 86 | clamp shaft |
| 87 | clamping knob(A) |
| 88 | clamping baffle |
| 89 | clamp plant |
| 90 | clamping knob(B) |
| 91 | spring roud pin |
| 92 | connecting sleeve |
| 93 | VDE power cord |
| 94 | cross self-tapping screw |
| 95 | rear carring handle(left) |
| 96 | rear carring handle(right) |
| 97 | protective ring |
| 98 | winding card |
| 99 | hex wrench |
| 100 | cross sunk head screw |
| 101 | anti-bending sleeve |

| | |
|-----|--------------------------|
| 102 | guide pipe(A) |
| 103 | guide pipe(B) |
| 104 | cover plate for bearing |
| 105 | felt |
| 106 | linear bearing |
| 107 | bearing sleeve |
| 108 | spring |
| 109 | clamping knob(C) |
| 110 | support |
| 111 | rotation shaft |
| 112 | limited screw |
| 113 | sleeve(B) |
| 114 | oil bearing |
| 115 | circlip for the shaft |
| 116 | washer |
| 117 | bevel gear |
| 118 | C-type key |
| 119 | outer shaft |
| 120 | gear cover |
| 121 | bearing |
| 122 | pressing plate |
| 123 | cross sunk head screw |
| 124 | cross sunk head screw |
| 125 | dust port |
| 126 | socket set screw |
| 127 | connecting rod |
| 128 | washer 6 |
| 129 | clip |
| 130 | dust bag assy |
| 131 | pin |
| 132 | bearing |
| 133 | plastic frame |
| 134 | adjustable knob |
| 135 | nut |
| 136 | socket set screw |
| 137 | saw body |
| 138 | locking spring |
| 139 | locking pin |
| 140 | snap ring |
| 141 | protective plate |
| 142 | cross sunk head screw |
| 143 | tension card |
| 144 | laser lamp |
| 145 | one type laser |
| 146 | socket head cap screw |
| 147 | cross self-tapping screw |
| 148 | wire clip |
| 149 | light box |

| | |
|-----|------------------------------------|
| 150 | LED LED light |
| 151 | seal |
| 152 | LED lens |
| 153 | fan baffle |
| 154 | palte for motor |
| 155 | spring washer |
| 156 | cross pan head screw |
| 157 | cross pan head screw |
| 158 | flat washer |
| 159 | armature |
| 160 | stator |
| 161 | bearing |
| 162 | damping ring |
| 163 | cap |
| 164 | carbon brush |
| 165 | brush holder |
| 166 | cross pan head screw |
| 167 | motor housing |
| 168 | label |
| 169 | upper handle |
| 170 | protective ring |
| 171 | cross self-tapping screw |
| 172 | carring handle |
| 173 | cross pan head screw |
| 174 | LED light switch |
| 175 | laser swtich |
| 176 | socket set screw |
| 177 | rear cover |
| 178 | switch button |
| 179 | button spring |
| 180 | transformer |
| 181 | cross pan head screw |
| 182 | terminal |
| 183 | main switch |
| 184 | safety button spring |
| 185 | cross self-tapping screw |
| 186 | safety button(B) |
| 187 | self locing button |
| 188 | lower handle |
| 189 | cross self-tapping screw |
| 190 | locking nut |
| 191 | big flat washer |
| 192 | guard fixed plate |
| 193 | blade guard |
| 194 | spring pin (B) |
| 195 | screw for the guard fixed plate(B) |
| 196 | torisional spring |
| 197 | inner flange |
| 198 | support board |
| 199 | bolt |
| 200 | screw for the guard fixed plate |

| | |
|-----|--------------------------|
| 201 | Blade R305xR30x48Z |
| 202 | collar (15.9~30) |
| 203 | outer flange |
| 204 | blade screw |
| 205 | torisional spring |
| 206 | type ring |
| 207 | pin |
| 208 | bevel angle label |
| 209 | hex bolt |
| 210 | table insert |
| 211 | table pointer |
| 212 | worktable |
| 213 | locking pin |
| 214 | screw cap |
| 215 | light cover |
| 216 | cross self-tapping screw |
| 217 | cross self-tapping screw |
| 218 | locking washer |
| 219 | sleeve |
| 220 | locking shaft |
| 221 | cross sunk head screw |
| 222 | rotation limited plate |
| 223 | washer(D) |
| 224 | compression spring(A) |
| 225 | capacitor |