



Number	Name
1	Cross recessed pan head tapping screw ST4.2X9.5(black)
3	Motor back cover
4	Carbon brush holder
5	Carbon brush
6	Carbon brush cap
8	Inner hexagon screw M4X4(black)
9	Motor housing
10	screw M5X30
11	Spring washer D5(zincing)
12	Flat washer φ5Xφ10X1
13	Field connecting wire
14	Field assembly
15	Rubber bearing support
16	Flat washer D4(zincing)
17	Bearing(608-2Z)
18	Cross recessed pan head tapping screw ST4.2X70(zincing)
19	Armature assembly
20	Bearing(6200-2Z)
21	Baffle
23	Upper guard cover
24	Flange screw(black)
25	Outer flange
27	Inner flange
28	Shaft sleeve
29	protective cover roller screw
30	Lower guard rolling wheel
31	Shaft circlips 42
32	Lower guard
33	Step screw
34	Spring wheel
35	Top cover

Number	Name
36	Cross recessed pan head screw M5X16
37	Bearing(6003-2RS)
38	Hole circlip Ø35
39	Output shaft
40	Flat key 4X8
41	Bull gear
42	Shaft circlips Ø12
43	Bearing(609-2Z)
44	Spindle lock spring(65Mn)
45	Spindle lock pin 45#
46	Spindle lock plate
47	Cross recessed countersunk head screw M4X8(zincing)
48	Spindle lock knob
49	Safety lock support
50	Cross recessed pan head screw M5X10(zincing)
51	Loose-proof nut M5
52	Safety lock handle
53	Upper guard self-lock spring
54	Orientation screw, for lower guard cover
55	LED lamp
56	LED viewfinder
57	LED scaleboard
58	LED support
59	Cross recessed pan head tapping screw ST4.2X14
60	Lower handle overmold
61	Connecting wire A inside handle
62	Connecting wire B inside handle
63	Working light transparent cover
64	Working light
65	Switch trigger
66	Top Handle overmold

Number	Name
67	Transformer
68	Terminal block(three)
69	Capacitor(0.33UF)
70	Terminal block(two)
71	Inductance
72	Cross recessed pan head screw M5X40(zincing)
73	Handle assembly
74	Cross recessed pan head screw M5X20(zincing)
75	Dust Bag
76	Power cord with BS plug, H05VV-F/YF-8(A),Jingqi
77	Cord sleeve
78	Cord clamp
79	Tension disc
80	Cross recessed pan head screw M5X10(zincing)
81	Laser and LED connecting line
82	LED switch
83	Laser switch
84	Height adjustment knob(black) with M5x55 screw
85	Inner hexagon screw M6X20
86	Height adjustment nut(black)
87	Nut M6(Zincing)
88	Upper guard
89	Lever locating screw(black)
90	Cross recessed countersunk head screw M5X10(zincing)
91	Bearing
92	Cover board
93	Shaft Circlips 13
94	Transmission gear
95	Transmission shaft
97	Lower guard spring
98	Lower guard cover step screw(black)

5401

Sliding Miter Saw 210mm-1500W

Number	Name
99	Lower guard cover on left
100	Lower guard cover on right
101	Lower guard cover rivet(black)
102	Cross recessed pan head screw M4X10
104	Spring washer D4(zincing)
105	Cross recessed pan head tapping screw ST3X8
106	Laser support C(black)
107	Inner hexagon screw M5X20(zincing)
108	Laser transparent plate
109	Laser
110	Laser support A(black)
111	Inner hexagon screw M4X6(black)
112	Laser support B
113	Lower guard cover lever(black)
114	Lower guard lever rivet(black)
115	Lower guard lever(black)
116	Line slot
117	Lever screw
118	Linear rod support bracket
119	Inner hexagon screw M5X6(black)
120	Bumper
121	Bearing cover
122	Bearing(standard with Ø25XØ40X30)
123	Bearing support(black)
124	Bracket for upper guard
125	Flat washer φ10Xφ20X2
126	Loose-proof nut M10
127	Flat washer φ6Xφ12X1.5
128	Spring washer D6(zincing)
129	Height adjustment plate(zincing)
130	Linear rod stop knob(black)

Number	Name
131	Hexagon screw M6X20
132	Wave washer D6
133	Height adjustment step screw(black)
134	Linear rod
135	Winding support(black)
136	Linear rod support bracket lock knob
137	Linear rod support bracket lock handle spring(black)
138	Linear rod support bracket lock handle(dark grey)
139	Nut M10
1.96	Pivot pin for linear rod support bracket(black)
141	Friction washer(black)
142	Linear rod support bracket arm
143	Bevel angle lock pin(black)
144	Bevel angle scale indicator(clear with a red line)
145	Torsion spring
146	Bracket stop pin(black)
147	O washer φ7X1.5
148	Torsion spring sleeve
149	Bevel lock pin cap(in black)
150	Inner hexagon screw M6X25
151	Pivot pin for upper guard
152	Inner hexagon screw M5X10
153	Inner hexagon screw M8X35(black)
154	Spring washer D8(black)
155	Flat washer φ8Xφ16X1.5
156	Table pivot bracket
157	Loose-proof nut M12
158	Inner hexagon screw M6X25(zincing)
160	Turning table
161	Spring pin Ø3x16
162	Working clamp knob

Number	Name
163	Fence
164	Butterfly screw(assembly)
165	Working clamp arm
166	Working clamp sliding rod(black)
167	Working clamp rod(zincing)
168	Allen wrench M6
169	Wrench holder
170	Working clamp plate(black)
172	Right Extension bar
174	Base
176	Flat washer Ø12X24X2.5
177	Wave washer 12 (black)
178	Cross recessed pan head screw M5X25
179	Left extension bar
182	Turning table angle scale indicator(clear with a red line)
183	Steel ball in 8mm diameter
184	Miter lock middle lever(black)
185	Miter lock spring(black)
186	Miter lock spring lever(black)
187	Miter lock plate(black)
188	Miter lock front lever(black)
189	Miter lock middle plate(black)
190	Inner hexagon screw M8X10(black)
191	Turning table locking screw(black)
192	Miter lock front plate(black)
193	Miter lock back lever
194	Spring pin Ø4x25
195	Balancing Foot(light grey)
198	Cross recessed pan head screw M5X8(black)
199	Cam pin
200	Locking cam

5401

Sliding Miter Saw 210mm-1500W

Number	Name
207	Cross recessed countersunk head screw M4X10(zincing)
208	Cross recessed pan head screw M4X20(zincing)
209	O washer 3.55X6.15X1.8
210	Slotted plate A
211	Base screw
213	Pencil hold bracket
215	copper washer
216	Safety lock handle screw
217	Flat washer $\phi 5 \times \phi 9 \times 0.8$
218	Cross recessed pan head tapping screw ST4.2X14(black)
219	Flat washer D4 $\phi 4 \times \phi 9 \times 0.8$ (zincing)
220	Cross recessed pan head screw M4X8(zincing)
221	Spring washer D6(black)
222	Flat washer $\phi 6 \times \phi 12 \times 1.5$
223	Flat washer $\phi 10 \times \phi 16 \times 0.8$
224	Cross recessed pan head screw M5X12(black)
225	Spring washer D5(black)
226	Flat washer D5(black)
227	Flat washer D4 $\phi 4 \times \phi 8 \times 0.5$ (zincing)
228	Cross recessed pan head screw M4X16(zincing)
229	Plastic buckle
230	Dust arrester
231	Cross recessed screw M6x8mm
232	Washer
233	Sliding fence